In the Claims

Claims 1-38 are cancelled.

New claims 48-61 are entered.

Claims 39-47 have been amended as shown below. <u>Underlines</u> indicate insertions; strikeouts indicate deletions.

1-38. (Cancelled)

39. (Currently amended) A planting machine, comprising:

means for receiving a plant for planting;

means for singulating a first group of individual plants for serial delivery into the means for receiving a plant;

means for singulating a second group of individual plants for serial delivery into the means for receiving a plant;

means for selectively moving the first group of plants and the second group of plants to select a plant for planting;

means for releasing a selected plant from one of the first group of plants and the second group of plants for planting;

means for receiving a plant for planting;

means for penetrating the ground along a selected axial orientation relative to the ground to present the <u>selected</u> plant into the ground; <u>and</u>

means for discharging the presented plant into the penetrated ground.; and

means for singulating individual plants for serial delivery into the means for receiving a plant.

40. (Currently amended) The planting machine of claim 39 39, wherein the means for receiving a plant comprises a plant receiving receptacle.

- 41. (Currently amended) The planting machine of claim 39 39, wherein the means for penetrating the ground comprises a stinger including a pair of elongated probes mounted to the stinger mounting frame and extending to bottom ends configured for ground penetration.
- 42. (Currently amended) The planting machine of claim 41 <u>41</u>, wherein the stinger further comprises an internal plant receiving receptacle provided between the probes.
- 43. (Currently amended) The planting machine of claim 42 42, wherein the stinger further comprises a plant discharge opening communicating with the plant receiving opening, the plant discharge opening provided when the bottom ends of the elongated probes are moved to an open position.
- 44. (Currently amended) The planting machine of claim 39 39, wherein the means for discharging the presented plant comprises a plant discharge opening that is provided by articulating the means for receiving the plant.

- 45. (Currently amended) The planting machine of claim 39 39, wherein the means for singulating individual plants comprises a plant feeder configured to move a plant to the means for receiving the plant.
- 46. (Currently amended) The planting machine of claim 45 <u>45</u>, wherein the means for singulating individual plants further comprises a plant magazine configured to receive and organize a plurality of plants.
- 47. (Currently amended) The planting machine of claim 46 46, wherein the plant magazine further comprises at least one plant release station configured to discharge successive plants into a plant receiving receptacle of the means for receiving the plant.
 - 48. (New) A planting machine, comprising:

a rotary plant magazine with a first rotary array of plant holders and a second rotary array of plant holders;

a plant feeder configured to selectively rotate the first rotary array and the second rotary array;

a first plant release station for releasing a singulated plant from the first rotary array;

a second plant release station for releasing a singulated plant from the second rotary array; and

a ground penetrating planting mechanism configured to receive and plant the singulated plant from one of the first rotary array and the second rotary array.

- 49. (New) The planting machine of claim 48, wherein the plant feeder comprises a first rotary drive configured to selectively rotate the first rotary array and a second rotary drive configured to selectively rotate the second rotary array.
- 50. (New) The planting machine of claim 48, wherein the ground penetrating planting machine comprises a stinger.
- 51. (New) The planting machine of claim 50, further comprising a stinger mounting frame configured to articulate the stinger into desired planting orientations.
- 52. (New) The planting machine of claim 51, wherein the stinger comprises a pair of elongated probes mounted to the stinger mounting frame and configured for selective positioning and ground penetration along a desired ground-penetrating axis.
- 53. (New) The planting machine of claim 48, wherein the rotary plant magazine further comprises a third rotary array of plant holders, and the plant feeder is configured to selectively rotate the third rotary array.

54. (New) A planter, comprising:

a plant delivery device;

a plant selecting member configured to feed a selected plant into the plant delivery device for planting; and

a plant magazine including a first array of plant holders supported for movement, a second array of plant holders supported for movement, and at least one drive mechanism configured to move the first array and the second array for delivery of a plant to the plant selecting member.

- 55. (New) The planter of claim 54, wherein the plant delivery device comprises a stinger.
- 56. (New) The planter of claim 55, wherein the plant delivery device further comprises a stinger mounting frame configurable for positioning into a desired ground-penetrating axis for the stinger.
- 57. (New) The planter of claim 54, wherein the plant magazine further includes a third array of plant holders supported for movement.
- 58. (New) The planter of claim 57, wherein the first array, the second array, and the third array each comprises a cylindrical array of plant holders.

- 59. (New) The planter of claim 58, further comprising a first rotary drive assembly, a second rotary drive assembly, and a third rotary drive assembly, each configured to rotate a respective one of the first cylindrical array, the second cylindrical array, and the third cylindrical array.
- 60. (New) The planter of claim 54, wherein the plant magazine is provided by a plant feeder that includes at least one drive assembly configured to move the first array and the second array.
- 61. (New) The planter of claim 54, wherein the plant selecting member comprises a plant release station.